

U.S. Department of

Patent and Trademark Office

Attorney Docket No.: FORS-04766

Serial No.: 09/676,768

INF	ORMATI		FATEMENT BY APPI	LICANT	Applicant: Fang Dong	et al.			
(Use Several Sheets If Necessary) (37 CFR § 1.98(b))				Filing Date: 10/02/00	Group Art Unit:				
	<u>. </u>		U	J.S. PATENT DOC	UMENTS				
Examiner Initials	Cite No.	Serial / Patent Number	Issue Date	Applica	int / Patentee	Class	Subclass	Filing	, Date
	1	5,202,231	04/13/93	Drm	anac et al.	435/6	436/501	06/1	8/91
	2	5,492,806	02/20/86	Drm	anac et al.	435/5	435/6	04/1	2/93
	3	5,510,270	04/23/96	Foo	lor et al.	436/518	435/4	09/3	0/92
	4	5,429,807	07/04/95	Mat	son et al.	422/131	422/101	10/2	8/93
	5	5,599,695	02/04/97	Pea	ise et al.	435/91.1	536/25.3	02/2	7/95
<u> </u>	6	5,436,327	07/25/95	Sout	hern et al.	et al. 536/25.34		53625.3 09/2	
· · · · · · · · · · · · · · · · · · ·		FO	REIGN PATENTS OR	PUBLISHED FOR	EIGN PATENT APPLIC	ATIONS	-		
		Document Number	Publication Date	Country	Patent Office	Class	Subclass		lation
-	7	WO 95/15267	06/08/95		PCT	B44C 1/175	1/17	Yes	No
	8	WO 96/04374	02/15/96		PCT	C12N 15/11	C12Q 1/68		
		OTHER I	OCUMENTS (Including	ng Author, Title, D	ate, Relevant Pages, Place	of Publication)	1 2,00	L	<u> </u>
	9	Abrams et al., "Coi		of Single Base Char	nges in Human Genomic		g Gradient Ge	l	
	10	Altamirano <i>et al.</i> , " 171:1034-1038 [199	Identification of Hepatit	tis C Virus Genotyp	es among Hospitalized Pa	ntients in British Colur	nbia, Canada,	J. Infect	t. Dis.
	11	Bains and Smith, "A	Novel Method for Nu	cleic Acid Sequenc	e Determination," J. Theo	or. Biol. 135:303-307	[1988];		
	12	Banerjee <i>et al.</i> , "inh [1994];	A, a Gene Encoding a	Target for Isoniazio	and Ethionamide in Myc	obacterium tuberculos	is," Science 26	53:227-23	0
	13	Barlow and Lehrach Genet. 3:167-171 [1	, "Genetics by gel election 987];	trophoresis: the im	pact of pulsed field gel el	ectrophoresis on mam	malian genetic	s," Trend	s
	14	Borrensen et al., "C 88:8405-8409 [1991	onstant denaturant gel (electrophoresis as a	rapid screening technique	e for p53 mutations,"	Proc. Natl. Ac	ad. Sci. U	JSA
	15	Brow et al., "Differentiation of Bacterial 16S rRNA Genes and Intergenic Regions and Mycobacterium tuberculosis katG Genes by Structure-Specific Endonuclease Cleavage," J. Clin. Microbiol. 34:3129-3137 [1996];			nes by				
	16 Chee et al., "Accessing Genetic Information with High-Density DNA Arrays," Science 274:610-614 [1996];		····						
	Cockerill, III et al., "Rapid Identification of a Point Mutation of the Mycobacterium tuberculosis Catalase-Peroxidase (katG) (Associated with Isoniazid Resistance," J. Infect. Dis. 171:240-245 [1995];			Gene					
	18	Conner, "Detection [1983];	of sickle cell β ^s -globin	allele by hybridizat	ion with synthetic oligonu	cleotides," Proc. Natl	. Acad. Sci. 80):278-282	:
	19	Donnabella et al., "I Indentification of Ne	solation of the Gene for w Mutations," Am. J. I	or the β Subunit of l Respir. Dis. 11:639	RNA Polymerase from Rin-643 [1994];	fampicin-resistant Myc	obacterium tul	perculosis	and
	20				Deoxyribonucleic Acids:	Physical Chemical Stu	ıdies," <i>Proc.</i> Λ	latl. Acad	I. Sci.
	21	Drmanac et al., "Sec	quencing of Megabase 1	Plus DNA by Hybr	idization: Theory of the l	Method," Genomics 4:	114-128 [1989)];	
	22				gy, vol. 2, Springer-Verla				
Examiner:					Date Considered:		REC		
EXAMINER:	Init	ial citation considered.	Draw line through cit	ation if not in confe	ormance and not consider	ed. Include copy of the	nis formana		

U.S. Department of

Patent and Trademark Office

Attorney Docket No.: FORS-04766 Serial No.: 09/676,768

Applicant: Fang Dong et al.

Group Art Unit:

INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use Several Sheets If Necessary) Filing Date: 10/02/00 (37 CFR § 1.98(b))

presence of tetrahylammonium saits," <i>Nucl. Acada Res.</i> 18:6807-6817 [1990]: 130 Harrington and Lieber, "Functional domains within FEN-1 and RAD2 define a family of structure-specific endonucleases: implications for nucleotide excision repair," <i>Genes and Develops</i> 3:1344-1355 [1994]; 131 Hayashi, "PCR-SSCP: A Simple and Sensitive Method for Detection of Mutations in the Genomic DNA," <i>PCR Meth. Appl.</i> 1:34-38 [1991]; 132 Heym <i>et al.</i> , "Implications of multidrug resistance for the future of short0-course chemotherapy of tuberculosis: a molecular study," <i>Lancet</i> 344:293-298 [1994]; 133 Hughes, "The Resurgence of Tuberculosis," <i>Scrip Magazine</i> , pp. 46-48 [May 1994]; 134 Jacobs, <i>Ir. et al.</i> , "Rapid Assessment of Drug Susceptibilities of <i>Mycobacterium tuberculosis</i> by Means of Luciferase Reporter Phages," <i>Science</i> 200:819-822 [1993]; 135 Jacobs, <i>Ir.</i> , "Multiple-Drug-Resistant Tuberculosis," <i>Clin. Infect. Dis.</i> 19:1-8 [1994]; 136 Kanai <i>et al.</i> , "HCV genotypes in chronic hepatitis C and response to interferon," <i>Lancet</i> 339:1543 [1992]; 137 Lerman and Silverstein, "Computational Simulation of DNA Melting and Its Application to Denaturing Gradient Gel Electrophoresis," <i>Meth. Enzymol.</i> 155:482-290 [1987]; 138 Lima <i>et al.</i> , "Implication of RNA Structure on Antisense Oligonucleotide Hybridization Kinetics," <i>Biochem.</i> 31:12055-12061 [1992]; 139 Liu and Sommer, ""Parameters Affecting the Sensitivities of Dideoxy Fingerprinting and SSCP," <i>PCR Meth. Appli.</i> 4:97-108 [1994]; 140 Marmur and Lane, "Strand Separation and Specific Recombination in Deoxyribonucleic Acids: Biological Studies," <i>Proc. Natl. Acad. Sci.</i> USA 46-453-461 [1906]; 141 Maskos and Southern, "Parallel analysis of oligodeoxyribonucleotide (oligonucleotide) interactions. I. Analysis of factors influencing oligonucleotide duplex formation," <i>Nucl. Acids Res.</i> 20(7):1675-1678 [1992]; 142 Marrane, R.S., <i>et al.</i> , "The Calf 5"- to 3 Exonuclease Is Also an Endonuclease with Both Activities Dependent on Primers Annealed Upstream of the Poin			
Derrottnes of Ambestes Organusceotics," PEBS Lett., 302-87-30 [1992]; 24 Fodor et al., "Light-Directed, Spatially Addressable Parallel Chemical Synthesis," Science 251:767-773 [1991]; 25 Fodor et al., "Multiplexed biochemical says with biological chips," Nature 364:555-556 [1993]; 26 Frieden et al., "Multiplexed biochemical says with biological chips," Nature 364:555-556 [1993]; 27 Gamper et al., "Solution Hybridization of Crussifishable DNA Oligonucleotides to Bacteriophage MI3 DNA Oligonucleotides to Bacteriophage MI3 DNA Oligonucleotides to Bacteriophage MI3 DNA Gliponucleotides to Bacteriophage MI3 DNA Chipmaneleotides and Equilibria," J. Med. Biol. 197:349-362 [1987]; 28 Godard et al., "Photochemically and Chemically Activatable Antisense Oligonucleotides: Comparison of Their Rescivities Towards DNA and RNA Targets," Nuc. Acids Res. 22:4789-4795 [1994]; 29 Gogos et al., "Detection of single base mismatches of dynamics and cytosine residues by potassium permanganate and hydroxylamine in the presence of tetrallylamononum salts". Nucl. Acids Res. 18:6807-6817 [1990]; 30 Harrington and Lieber, "Functional domains within FEN-1 and RAD2 define a family of structure-specific endonucleases: implications for maclotude excision repart." Genes and Develop. 31344-1351 [1994]; 31 Hayashi, "PCR-SSCP: A Simple and Sensitive Method for Detection of Mutations in the Genomic DNA," PCR Meth. Appl. 1:34-138 [1991]; 32 Heym et al., "Implications of multidrug resistance for the future of short0-course chemotherapy of subcreulosis: a molecular study," Lancet 44:293-298 [1994]; 32 Heym et al., "Implications of Drug Susceptibilities of Mycobacterium interculosis by Means of Luciferase Reporter Phages," Science 260:319-522 [1993]; 33 Jacobs, Jr. et al., "Repid Assessment of Drug Susceptibilities of Mycobacterium interculosis by Means of Luciferase Reporter Phages," Science 260:319-522 [1993]; 34 Jacobs, Jr., "Multiple-Drug-Resistant Tuberculosis," Scrip Magazine, pp. 46-48 [May 1994]; 35 Jacobs, Jr., "Multiple-Drug-Res			OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication)
25 Fodor et al., "Multiplexed biochemical assays with biological chips," Nature 254-555-556 [1993]; 26 Frieden et al., "The Emergence of Drug-Resistant Tuberculosis in New York City," New Engl. J. Med. 328-521-526 [1993]; 27 Gamper et al., "Solution Hybridization of Crosslinkable DNA Oligonucleotides to Bacteriophage M13 DNA Oligonucleotides to Bacteriophage M13 DNA Oligonucleotides and Equilibria," J. Mod. Biol. 197-399-362 [1987]; 28 Godard et al., "Photochemically and Chemically Activatable Antisense Oligonucleotides: Comparison of Their Reactivities Towards DNA and RNA Targes," Nuc. Acids Res. 22:4789-4795 [1994]; 29 Gogos et al., "Detection of single base immanches of dyomine and cytosine residues by potassium permanganate and hydroxylamine in the presence of tetralkylammonium salts," Nucl. Acids Res. 18:6807-6817 [1990]; 30 Harrington and Lieber, "Functional domains within FEN-1 and RAD2 define a family of structure-specific endonucleases: implications for microbiodic excision repair," Genes and Develop. 3:1344-1355 [1994]; 31 Hayashi, "PCR-SSCP: A Simple and Sensitive Method for Detection of Mutations in the Genomic DNA," PCR Meth. Appl. 1:34-38 [1991]; 32 Heym et al., "Implications of multidrug resistance for the future of shortd-course chemotherapy of nuberculosis: a molecular study," Lancet 344:235-288 [1994]; 33 Hugbes, Tr. et al., "Rapid Assessment of Drug Susceptibilities of Mycobacterium tuberculosis by Means of Luciferase Reporter Phages," Science 260:819-822 [1993]; 34 Jacobs, Jr., "Multiple-Drug-Resistant Tuberculosis," Clin. Infect. Dis. 19:1-8 [1994]; 35 Jacobs, Jr., "Multiple-Drug-Resistant Tuberculosis," Clin. Infect. Dis. 19:1-8 [1994]; 36 Kanai et al., "High genome of RNA Structures hepatists C and response to interferion," Lancet 339-1543 [1992]; 37 Lima et al., Implication of RNA Structures hepatists C and response to interferion," Lancet 339-1543 [1992]; 38 Lima et al., "Implication of RNA Structures hepatists C and response to in		23	Fedorova et al., "The Influence of the Target Structure on the Efficiency of Alkylation of Single-Stranded DNA with the Reactive Derivatives of Antisense Oligonucleotides," FEBS Lett. 302:47-50 [1992];
Frieden et al., "The Emergence of Drug-Resistant Tuberculosis in New York City," New Engl. J. Med. 328:521-526 [1993]; Gamper et al., "Solution Hybridistation of Crosslinkable DNA Oligonucleotides to Bacteriophage M13 DNA Oligonucleotides to Bacteriophage M13 DNA Oligonucleotides to Bacteriophage M13 DNA: Effect of Secondary Structure on Hybridization Kinetics and Equilibria." J. Mol. Biol. 197:349-362 [1987]; 28 Godart et al., "Photochemically and Chemically Activatable Antisense Oligonucleotides: Comparison of Their Reactivities Towards DNA and RNA Targets." Nac. Acids Res. 22:4789-4795 [1994]; 29 Gogos et al., "Detection of single base mismatches of dynine and cytosine residues by potassium permanganate and hydroxylamine in the presence of tetralkylammonium salts," Nacl. Acids Res. 18:6807-6817 [1990]; 30 Harrington and Lieber, "Functional domains within FEN-1 and RAD2 define a family of structure-specific endonucleases: implications for nucleotide excision repair." Genes and Develop. 3:1344-1355 [1994]; 31 Hayashi, "PCR-SSCP: A Simple and Sensitive Method for Detection of Mutations in the Genomic DNA," PCR Meth. Appl. 1:34-38 [1991]; 32 Heym et al., "Implications of multidrug resistance for the future of short0-course chemotherapy of suberculosis: a molecular study." Lancet 341-293-298 [1994]; 33 Hughes, "The Resurgence of Tuberculosis," Scrip Magazine, pp. 46-48 [May 1994]; 34 Jacobs, Ir. et al., "Rapid Assessment of Drug Susceptibilities of Mycobacterium tuberculosis by Means of Luciferase Reporter Phages," Science 260:819-822 [1993]; 35 Jacobs, Jr., "Multiple-Drug-Resistant Tuberculosis," Citi. Infect. Dis. 19:1-8 [1994]; 36 Kanai et al., "HeV genotypes in chronic hepatitis C and response to interferon," Lancet 339:1543 [1992]; 37 Lerman and Silverstein, "Computational Simulation of DNA Melting and Its Application to Denaturing Gradient Gel Electrophoresis," Meth. Eczymol. 155:482-201 [1987]; 38 Lima et al., "Implication of RNA Structure on Antisense Oligonucleotide Hybridization Kinetics," B		24	Fodor et al., "Light-Directed, Spatially Addressable Parallel Chemical Synthesis," Science 251:767-773 [1991];
Barreirophage M13 DNA Cligonucleotides to Bacteriophage M13 DNA Oligonucleotides to Bacteriophage M13 DNA Effect of Secondary Structure on Hybridization Kinetics and Equilibria, ** J. Mol. Bol. 197:349-352 [1987]; 28 Godard at al., "Photochemically and Chemically Activable Antisense Oligonucleotides: Comparison of Their Reactivities Towards DNA and RNA Targets, *Nac. Acids Res. 22:4789-4795 [1994]; 29 Gogos et al., "Detection of single base mismatches of thymine and cytosine residues by potassium permanganate and hydroxylamine in the presence of tertallylammonium salis." *Nacl. Acids Res. 18:6007-6017 [1990]; 30 Harrington and Lieber, "Burctional domains within FEN-1 and RAD2 define a family of structure-specific endonucleases: implications for nucleotide excision repair," *Cenes and Develop. 3:1344-1355 [1994]; 31 Hayashi, "PCR-SSCP: A Simple and Sensitive Method for Detection of Mutations in the Genomic DNA," *PCR Meth. Appl. 1:34-38 [1991]; 32 Heym et al., "Implications of multidrug resistance for the future of short0-course chemotherapy of tuberculosis: a molecular study," *Lancet 1991; *Lancet 1994; 33 Hughes, "The Resurgence of Tuberculosis," *Scrip Magazine, pp. 46-48 [May 1994]; 34 Jacobs, Ir. et al., "Rapid Assessment of Drug Susceptibilities of Mycobacterium tuberculosis by Means of Luciferase Reporter Phages," *Scrince 260:319-322 [1993]; 35 Jacobs, Ir., "Multiple-Drug-Resistant Tuberculosis," *Clin. Infect. Dis. 19:1-8 [1994]; 36 Kanai et al., "HCV genotypes in chronic hepatitis C and response to interferon," *Lancet 339:1543 [1992]; 37 Lerman and Silverstein, "Computational Simulation of DNA Melting and Its Application to Denaturing Gradient Gel Electrophoresis," *Meth. Engmol. 155:482-501 [1987]; 38 Lim et al., "Implication of RNA Structure on Antisense Oligonucleotide Hybridization Kinetics," *Biochem. 31:12055-12061 [1992]; 40 Liu and Sommer, "Parameters Affecting the Sensitivities of Dideoxy Fingerprinting and SSCP," *PCR Meth. Appli. 4:97-108 [1994]; 41 Marrus, R.S., et al., "The		25	Fodor et al., "Multiplexed biochemical assays with biological chips," Nature 364:555-556 [1993];
Barreirophage M13 DNA Cligonucleotides to Bacteriophage M13 DNA Oligonucleotides to Bacteriophage M13 DNA Effect of Secondary Structure on Hybridization Kinetics and Equilibria, ** J. Mol. Bol. 197:349-352 [1987]; 28 Godard at al., "Photochemically and Chemically Activable Antisense Oligonucleotides: Comparison of Their Reactivities Towards DNA and RNA Targets, *Nac. Acids Res. 22:4789-4795 [1994]; 29 Gogos et al., "Detection of single base mismatches of thymine and cytosine residues by potassium permanganate and hydroxylamine in the presence of tertallylammonium salis." *Nacl. Acids Res. 18:6007-6017 [1990]; 30 Harrington and Lieber, "Burctional domains within FEN-1 and RAD2 define a family of structure-specific endonucleases: implications for nucleotide excision repair," *Cenes and Develop. 3:1344-1355 [1994]; 31 Hayashi, "PCR-SSCP: A Simple and Sensitive Method for Detection of Mutations in the Genomic DNA," *PCR Meth. Appl. 1:34-38 [1991]; 32 Heym et al., "Implications of multidrug resistance for the future of short0-course chemotherapy of tuberculosis: a molecular study," *Lancet 1991; *Lancet 1994; 33 Hughes, "The Resurgence of Tuberculosis," *Scrip Magazine, pp. 46-48 [May 1994]; 34 Jacobs, Ir. et al., "Rapid Assessment of Drug Susceptibilities of Mycobacterium tuberculosis by Means of Luciferase Reporter Phages," *Scrince 260:319-322 [1993]; 35 Jacobs, Ir., "Multiple-Drug-Resistant Tuberculosis," *Clin. Infect. Dis. 19:1-8 [1994]; 36 Kanai et al., "HCV genotypes in chronic hepatitis C and response to interferon," *Lancet 339:1543 [1992]; 37 Lerman and Silverstein, "Computational Simulation of DNA Melting and Its Application to Denaturing Gradient Gel Electrophoresis," *Meth. Engmol. 155:482-501 [1987]; 38 Lim et al., "Implication of RNA Structure on Antisense Oligonucleotide Hybridization Kinetics," *Biochem. 31:12055-12061 [1992]; 40 Liu and Sommer, "Parameters Affecting the Sensitivities of Dideoxy Fingerprinting and SSCP," *PCR Meth. Appli. 4:97-108 [1994]; 41 Marrus, R.S., et al., "The		26	Frieden et al., "The Emergence of Drug-Resistant Tuberculosis in New York City," New Engl. J. Med. 328:521-526 [1993];
Godard et al., "Photochemically and Chemically Activatable Antisense Oligonucleotides: Comparison of Their Reactivities Towards DNA and RNA Targets," Nac. Acids Res. 22:4789-4795 [1994]; 29 Gogos et al., "Detection of single base mismatches of thymine and cytosine residues by potassium permanganate and hydroxylamine in the presence of tetralkylammonium salts," Nucl. Acids Res. 18:6807-6817 [1990]; 30 Harrington and Lieber, "Functional domains within FEN-1 and RAD2 define a family of structure-specific endonucleases: implications for nucleotide excision repair," Genes and Develop. 3:1344-1355 [1994]; 31 Hayashi, "PCR-SSCP: A Simple and Sensitive Method for Detection of Mutations in the Genomic DNA," PCR Meth. Appl. 1:34-38 [1991]; 32 Heym et al., "Implications of multidrug resistance for the future of short0-course chemotherapy of tuberculosis: a molecular study," Lancet 344:293-298 [1994]; 33 Hughes, "The Resurgence of Tuberculosis," Scrip Magazine, pp. 46-48 [May 1994]; 34 Liper et al., "Rapid Assessment of Drug Susceptibilities of Mycobacterium inberculosis by Means of Luciferase Reporter Phages," Science 260:819-822 [1993]; 35 Jacobs, Jr., "Multiple-Drug-Resistant Tuberculosis," Clin. Infect. Dis. 19:1-8 [1994]; 36 Kanai et al., "HCV genotypes in chronic hepatitis C and response to interferon," Lancer 339:1543 [1992]; 37 Lerman and Silverstein, "Computational Simulation of DNA Melting and Its Application to Denaturing Gradient Gel Electrophoresis," Meth. Enzymol. 155:482-501 [1987]; 38 Lima et al., "Implication of RNA Structure on Antisense Oligonucleotide Hybridization Kinetics," Biochem. 31:12055-12061 [1992]; 40 Marmur and Lane, "Strand Separation and Specific Recombination in Deoxyribonucleic Acids: Biological Studies," Proc. Natl. Acad. Sci. USA 46-643-461 [1906]; 41 Marmur and Lane, "Strand Separation and Specific Recombination in Deoxyribonucleic Acids: Biological Studies," Proc. Natl. Acad. Sci. 17, 179-54-690 [1993]; 42 Murrance, R.S., et al., "The Calf 5"- to 3"Exonuclease Is Also an E		27	Gamper et al., "Solution Hybridization of Crosslinkable DNA Oligonucleotides to Bacteriophage M13 DNA Oligonucleotides to
presence of tetrahylammonium saits," <i>Nucl. Acada Res.</i> 18:6807-6817 [1990]: 130 Harrington and Lieber, "Functional domains within FEN-1 and RAD2 define a family of structure-specific endonucleases: implications for nucleotide excision repair," <i>Genes and Develops</i> 3:1344-1355 [1994]; 131 Hayashi, "PCR-SSCP: A Simple and Sensitive Method for Detection of Mutations in the Genomic DNA," <i>PCR Meth. Appl.</i> 1:34-38 [1991]; 132 Heym <i>et al.</i> , "Implications of multidrug resistance for the future of short0-course chemotherapy of tuberculosis: a molecular study," <i>Lancet</i> 344:293-298 [1994]; 133 Hughes, "The Resurgence of Tuberculosis," <i>Scrip Magazine</i> , pp. 46-48 [May 1994]; 134 Jacobs, <i>Ir. et al.</i> , "Rapid Assessment of Drug Susceptibilities of <i>Mycobacterium tuberculosis</i> by Means of Luciferase Reporter Phages," <i>Science</i> 200:819-822 [1993]; 135 Jacobs, <i>Ir.</i> , "Multiple-Drug-Resistant Tuberculosis," <i>Clin. Infect. Dis.</i> 19:1-8 [1994]; 136 Kanai <i>et al.</i> , "HCV genotypes in chronic hepatitis C and response to interferon," <i>Lancet</i> 339:1543 [1992]; 137 Lerman and Silverstein, "Computational Simulation of DNA Melting and Its Application to Denaturing Gradient Gel Electrophoresis," <i>Meth. Enzymol.</i> 155:482-290 [1987]; 138 Lima <i>et al.</i> , "Implication of RNA Structure on Antisense Oligonucleotide Hybridization Kinetics," <i>Biochem.</i> 31:12055-12061 [1992]; 139 Liu and Sommer, ""Parameters Affecting the Sensitivities of Dideoxy Fingerprinting and SSCP," <i>PCR Meth. Appli.</i> 4:97-108 [1994]; 140 Marmur and Lane, "Strand Separation and Specific Recombination in Deoxyribonucleic Acids: Biological Studies," <i>Proc. Natl. Acad. Sci.</i> USA 46-453-461 [1906]; 141 Maskos and Southern, "Parallel analysis of oligodeoxyribonucleotide (oligonucleotide) interactions. I. Analysis of factors influencing oligonucleotide duplex formation," <i>Nucl. Acids Res.</i> 20(7):1675-1678 [1992]; 142 Marrane, R.S., <i>et al.</i> , "The Calf 5"- to 3 Exonuclease Is Also an Endonuclease with Both Activities Dependent on Primers Annealed Upstream of the Poin		28	Godard et al., "Photochemically and Chemically Activatable Antisense Oligonucleotides: Comparison of Their Reactivities Towards DNA
Hayashi, "PCR-SSCP: A Simple and Sensitive Method for Detection of Mutations in the Genomic DNA," PCR Meth. Appl. 1:34-38 [1991]: Heym et al., "Implications of multidrug resistance for the future of short0-course chemotherapy of tuberculosis: a molecular study," Lancet 344:293-298 [1994]: Hughes, "The Resurgence of Tuberculosis," Scrip Magazine, pp. 46-48 [May 1994]; Jacobs, Jr. et al., "Rapid Assessment of Drug Susceptibilities of Mycobacterium tuberculosis by Means of Luciferase Reporter Phages," Science 260:819-822 [1993]: Jacobs, Jr., "Multiple-Drug-Resistant Tuberculosis," Clin. Infect. Dis. 19:1-8 [1994]; Kanai et al., "HCV genotypes in chronic hepatitis C and response to interferon," Lancet 339:1543 [1992]; Lerman and Silverstein, "Computational Simulation of DNA Melting and Its Application to Denaturing Gradient Gel Electrophoresis," Meth. Enzymol. 155-482-501 [1987]; Jima et al., "Implication of RNA Structure on Antisense Oligonucleotide Hybridization Kinetics," Biochem. 31:12055-12061 [1992]; Liu and Sommer, "Parameters Affecting the Sensitivities of Dideoxy Fingerprinting and SSCP," PCR Meth. Appli. 4:97-108 [1994]; Marmur and Lane, "Strand Separation and Specific Recombination in Deoxyribonucleic Acids: Biological Studies," Proc. Natl. Acad. Sci. USA 46:453-461 [1960]; Maskos and Southern, "Parallel analysis of oligodeoxyribonucleotide (oligonucleotide) interactions. I. Analysis of factors influencing oligonucleotide duples formation," Nucl. Acids Res. 20(7):1675-1678 [1992]; Morris et al., "Molecular Mechanisms of Multiple Drug Resistance in Clinical Isolates of Mycobacterium tuberculosis," J. Infect. Dis. 171:954-960 [1995]; Murante, R.S., et al., "The Calf 5"- to 3 Exonuclease Is Also an Endonuclease with Both Activities Dependent on Primers Annealed Upteram of the Point of Cleavage," J. Biol. Chem. 269:1191-1196 [1994]; Myers et al., "Detection of Single Base Substitutions by Ribonuclease Cleavage at Mismatches in RNA:DNA Duplexes," Science 230:1242-1246 [1989]; Characteria al., "R		29	Gogos et al., "Detection of single base mismatches of thymine and cytosine residues by potassium permanganate and hydroxylamine in the presence of tetralkylammonium salts," Nucl. Acids Res. 18:6807-6817 [1990];
Heym et al., "Implications of multidrug resistance for the future of short0-course chemotherapy of tuberculosis: a molecular study," Lancet 344:293-298 [1994]; 33 Hughes, "The Resurgence of Tuberculosis," Scrip Magazine, pp. 46-48 [May 1994]; 34 Jacobs, Jr. et al., "Rapid Assessment of Drug Susceptibilities of Mycobacterium tuberculosis by Means of Luciferase Reporter Phages," Science 260:819-822 [1993]; 35 Jacobs, Jr., "Multiple-Drug-Resistant Tuberculosis," Clin. Infect. Dis. 19:1-8 [1994]; 36 Kanai et al., "HCV genotypes in chronic hepatitis C and response to interferon," Lancet 339:1543 [1992]; 37 Lerman and Silverstein, "Computational Simulation of DNA Melting and Its Application to Denaturing Gradient Gel Electrophoresis," Meth. Enzymol. 155:482-501 [1987]; 38 Lima et al., "Implication of RNA Structure on Antisense Oligonucleotide Hybridization Kinetics," Biochem. 31:12055-12061 [1992]; 39 Liu and Sommer, "Parameters Affecting the Sensitivities of Dideoxy Fingerprinting and SSCP," PCR Meth. Appli. 4:97-108 [1994]; 40 Marmur and Lane, "Strand Separation and Specific Recombination in Deoxyribonucleic Acids: Biological Studies," Proc. Natl. Acad. Sci. USA 46:433-461 [1960]; 41 Maskos and Southern, "Parallel analysis of oligodeoxyribonucleotide (oligonucleotide) interactions. I. Analysis of factors influencing oligonucleotide duplex formation," Nucl. Acids Res. 20(7):1675-1678 [1992]; 42 Morris et al., "Molecular Mechanisms of Multiple Drug Resistance in Clinical Isolates of Mycobacterium tuberculosis," J. Infect. Dis. 171:954-960 [1995]; 43 Murante, R.S., et al., "The Calf 5'- to 3'Exonuclease Is Also an Endonuclease with Both Activities Dependent on Primers Annealed Upstream of the Point of Cleavage," J. Biol. Chem. 269:1191-1196 [1994]; 44 Myers et al., "Detection of Single Base Substitutions by Ribonuclease Cleavage at Mismatches in RNA:DNA Duplexes," Science 230:1242-1246 [1985]; 45 Okamoto et al., "Typing hepatitis C virus by polymerase chain reaction with type-specific primers: application		30	Harrington and Lieber, "Functional domains within FEN-1 and RAD2 define a family of structure-specific endonucleases: implications for nucleotide excision repair," <i>Genes and Develop</i> . 3:1344-1355 [1994];
Hughes, "The Resurgence of Tuberculosis," Scrip Magazine, pp. 46-48 [May 1994]; Jacobs, Jr. et al., "Rapid Assessment of Drug Susceptibilities of Mycobacterium tuberculosis by Means of Luciferase Reporter Phages," Science 260:819-822 [1993]; Jacobs, Jr., "Multiple-Drug-Resistant Tuberculosis," Clin. Infect. Dis. 19:1-8 [1994]; Kanai et al., "HCV genotypes in chronic hepatitis C and response to interferon," Lancet 339:1543 [1992]; Lerman and Silverstein, "Computational Simulation of DNA Melting and Its Application to Denaturing Gradient Gel Electrophoresis," Meth. Enzymol. 155:482-501 [1987]; Lima et al., "Implication of RNA Structure on Antisense Oligonucleotide Hybridization Kinetics," Biochem. 31:12055-12061 [1992]; Liu and Sommer, "Parameters Affecting the Sensitivities of Dideoxy Fingerprinting and SSCP," PCR Meth. Appli. 4:97-108 [1994]; Marmur and Lane, "Strand Separation and Specific Recombination in Deoxyribonucleoide Acids: Biological Studies," Proc. Natl. Acad. Sci. Maskos and Southern, "Parallel analysis of oligodeoxyribonucleotide (oligonucleotide) interactions. I. Analysis of factors influencing oligonucleotide duplex formation," Nucl. Acids Res. 20(7):1675-1678 [1992]; Morris et al., "Molecular Mechanisms of Multiple Drug Resistance in Clinical Isolates of Mycobacterium tuberculosis," J. Infect. Dis. 171:954-960 [1995]; Murante, R.S., et al., "The Calf 5'- to 3'Exonuclease Is Also an Endonuclease with Both Activities Dependent on Primers Annealed Upstream of the Point of Cleavage," J. Biol. Chem. 269:1191-1196 [1994]; Myers et al., "Oetection of Single Base Substitutions by Ribonuclease Cleavage at Mismatches in RNA:DNA Duplexes," Science 230:1242-1246 [1995]; Okamoto et al., "Tapid and Sensitive Detection of Point Mutations and DNA Polymorphisms Using the Polymerase Chain Reaction," Genomics 5:874-879 [1989];		31	Hayashi, "PCR-SSCP: A Simple and Sensitive Method for Detection of Mutations in the Genomic DNA," PCR Meth. Appl. 1:34-38 [1991];
Jacobs, Jr. et al., "Rapid Assessment of Drug Susceptibilities of Mycobacterium tuberculosis by Means of Luciferase Reporter Phages," 35 Jacobs, Jr., "Multiple-Drug-Resistant Tuberculosis," Clin. Infect. Dis. 19:1-8 [1994]; 36 Kanai et al., "HCV genotypes in chronic hepatitis C and response to interferon," Lancet 339:1543 [1992]; 37 Lerman and Silverstein, "Computational Simulation of DNA Melting and Its Application to Denaturing Gradient Gel Electrophoresis," Meth. Enzymol. 155:482-501 [1987]; 38 Lima et al., "Implication of RNA Structure on Antisense Oligonucleotide Hybridization Kinetics," Biochem. 31:12055-12061 [1992]; 39 Liu and Sommer, ""Parameters Affecting the Sensitivities of Dideoxy Fingerprinting and SSCP," PCR Meth. Appli. 4:97-108 [1994]; 40 Marmur and Lane, "Strand Separation and Specific Recombination in Deoxyribonucleic Acids: Biological Studies," Proc. Natl. Acad. Sci. USA 46:453-461 [1906]; 41 Maskos and Southern, "Parallel analysis of oligodeoxyribonucleotide (oligonucleotide) interactions. I. Analysis of factors influencing oligonucleotide duplex formation," Nucl. Acids Res. 20(7):1675-1678 [1992]; 42 Morris et al., "Molecular Mechanisms of Multiple Drug Resistance in Clinical Isolates of Mycobacterium tuberculosis," J. Infect. Dis. 171:954-960 [1995]; 43 Murante, R.S., et al., "The Calf 5'- to 3'Exonuclease Is Also an Endonuclease with Both Activities Dependent on Primers Annealed Upstream of the Point of Cleavage," J. Biol. Chem. 269:1191-1196 [1994]; 44 Myers et al., "Detection of Single Base Substitutions by Ribonuclease Cleavage at Mismatches in RNA:DNA Duplexes," Science 230:1242-1246 [1985]; 45 Okamoto et al., "Typing hepatitis C virus by polymerase chain reaction with type-specific primers: application to clinical surveys and tracing infectious sources," J. Gen. Virol. 73:673-679 [1992]; 46 Orita et al., "Rapid and Sensitive Detection of Point Mutations and DNA Polymorphisms Using the Polymerase Chain Reaction," Genomics 5:874-879 [1989];		32	Heym et al., "Implications of multidrug resistance for the future of short0-course chemotherapy of tuberculosis: a molecular study," Lancet 344:293-298 [1994];
Jacobs, Jr., "Multiple-Drug-Resistant Tuberculosis," Clin. Infect. Dis. 19:1-8 [1994]; Kanai et al., "HCV genotypes in chronic hepatitis C and response to interferon," Lancet 339:1543 [1992]; Lerman and Silverstein, "Computational Simulation of DNA Melting and Its Application to Denaturing Gradient Gel Electrophoresis," Meth. Enzymol. 155:482-501 [1987]; Lima et al., "Implication of RNA Structure on Antisense Oligonucleotide Hybridization Kinetics," Biochem. 31:12055-12061 [1992]; Liu and Sommer, ""Parameters Affecting the Sensitivities of Dideoxy Fingerprinting and SSCP," PCR Meth. Appli. 4:97-108 [1994]; Marmur and Lane, "Strand Separation and Specific Recombination in Deoxyribonucleic Acids: Biological Studies," Proc. Natl. Acad. Sci. USA 46:453-461 [1960]; Maskos and Southern, "Parallel analysis of oligodeoxyribonucleotide (oligonucleotide) interactions. I. Analysis of factors influencing oligonucleotide duplex formation," Nucl. Acids Res. 20(7):1675-1678 [1992]; Morris et al., "Molecular Mechanisms of Multiple Drug Resistance in Clinical Isolates of Mycobacterium tuberculosis," J. Infect. Dis. 171:954-960 [1995]; Murante, R.S., et al., "The Calf 5'- to 3'Exonuclease Is Also an Endonuclease with Both Activities Dependent on Primers Annealed Upstream of the Point of Cleavage," J. Biol. Chem. 269:1191-1196 [1994]; Myers et al., "Detection of Single Base Substitutions by Ribonuclease Cleavage at Mismatches in RNA:DNA Duplexes," Science 230:1242-1246 [1985]; Okamoto et al., "Typing hepatitis C virus by polymerase chain reaction with type-specific primers: application to clinical surveys and tracing infectious sources," J. Gen. Virol. 73:673-679 [1992];		33	Hughes, "The Resurgence of Tuberculosis," Scrip Magazine, pp. 46-48 [May 1994];
Sensitive et al., "HCV genotypes in chronic hepatitis C and response to interferon," Lancet 339:1543 [1992]; Lerman and Silverstein, "Computational Simulation of DNA Melting and Its Application to Denaturing Gradient Gel Electrophoresis," Meth. Enzymol. 155:482-501 [1987]; Lima et al., "Implication of RNA Structure on Antisense Oligonucleotide Hybridization Kinetics," Biochem. 31:12055-12061 [1992]; Liu and Sommer, ""Parameters Affecting the Sensitivities of Dideoxy Fingerprinting and SSCP," PCR Meth. Appli. 4:97-108 [1994]; Marmur and Lane, "Strand Separation and Specific Recombination in Deoxyribonucleic Acids: Biological Studies," Proc. Natl. Acad. Sci. USA 46:453-461 [1960]; Maskos and Southern, "Parallel analysis of oligodeoxyribonucleotide (oligonucleotide) interactions. I. Analysis of factors influencing oligonucleotide duplex formation," Nucl. Acids Res. 20(7):1675-1678 [1992]; Morris et al., "Molecular Mechanisms of Multiple Drug Resistance in Clinical Isolates of Mycobacterium tuberculosis," J. Infect. Dis. 171:954-960 [1995]; Murante, R.S., et al., "The Calf 5'- to 3'Exonuclease Is Also an Endonuclease with Both Activities Dependent on Primers Annealed Upstream of the Point of Cleavage," J. Biol. Chem. 269:1191-1196 [1994]; Myers et al., "Detection of Single Base Substitutions by Ribonuclease Cleavage at Mismatches in RNA:DNA Duplexes," Science 230:1242-1246 [1985]; Okamoto et al., "Typing hepatitis C virus by polymerase chain reaction with type-specific primers: application to clinical surveys and tracing infectious sources," J. Gen. Virol. 73:673-679 [1992]; Orita et al., "Rapid and Sensitive Detection of Point Mutations and DNA Polymorphisms Using the Polymerase Chain Reaction," Genomics 5:874-879 [1989];		34	Jacobs, Jr. et al., "Rapid Assessment of Drug Susceptibilities of Mycobacterium tuberculosis by Means of Luciferase Reporter Phages," Science 260:819-822 [1993];
Lerman and Silverstein, "Computational Simulation of DNA Melting and Its Application to Denaturing Gradient Gel Electrophoresis," Meth. Enzymol. 155:482-501 [1987]; Lima et al., "Implication of RNA Structure on Antisense Oligonucleotide Hybridization Kinetics," Biochem. 31:12055-12061 [1992]; Liu and Sommer, ""Parameters Affecting the Sensitivities of Dideoxy Fingerprinting and SSCP," PCR Meth. Appli. 4:97-108 [1994]; Marmur and Lane, "Strand Separation and Specific Recombination in Deoxyribonucleic Acids: Biological Studies," Proc. Natl. Acad. Sci. USA 46:453-461 [1960]; Maskos and Southern, "Parallel analysis of oligodeoxyribonucleotide (oligonucleotide) interactions. I. Analysis of factors influencing oligonucleotide duplex formation," Nucl. Acids Res. 20(7):1675-1678 [1992]; Morris et al., "Molecular Mechanisms of Multiple Drug Resistance in Clinical Isolates of Mycobacterium tuberculosis," J. Infect. Dis. 171:954-960 [1995]; Murante, R.S., et al., "The Calf 5'- to 3'Exonuclease Is Also an Endonuclease with Both Activities Dependent on Primers Annealed Upstream of the Point of Cleavage," J. Biol. Chem. 269:1191-1196 [1994]; Myers et al., "Detection of Single Base Substitutions by Ribonuclease Cleavage at Mismatches in RNA:DNA Duplexes," Science 230:1242-1246 [1985]; Okamoto et al., "Typing hepatitis C virus by polymerase chain reaction with type-specific primers: application to clinical surveys and tracing infectious sources," J. Gen. Virol. 73:673-679 [1992]; Orita et al., "Rapid and Sensitive Detection of Point Mutations and DNA Polymorphisms Using the Polymerase Chain Reaction," Genomics 5:874-879 [1989];		35	Jacobs, Jr., "Multiple-Drug-Resistant Tuberculosis," Clin. Infect. Dis. 19:1-8 [1994];
Lima et al., "Implication of RNA Structure on Antisense Oligonucleotide Hybridization Kinetics," Biochem. 31:12055-12061 [1992]; 39 Liu and Sommer, ""Parameters Affecting the Sensitivities of Dideoxy Fingerprinting and SSCP," PCR Meth. Appli. 4:97-108 [1994]; 40 Marmur and Lane, "Strand Separation and Specific Recombination in Deoxyribonucleic Acids: Biological Studies," Proc. Natl. Acad. Sci. USA 46:453-461 [1960]; 41 Maskos and Southern, "Parallel analysis of oligodeoxyribonucleotide (oligonucleotide) interactions. I. Analysis of factors influencing oligonucleotide duplex formation," Nucl. Acids Res. 20(7):1675-1678 [1992]; 42 Morris et al., "Molecular Mechanisms of Multiple Drug Resistance in Clinical Isolates of Mycobacterium tuberculosis," J. Infect. Dis. 171:954-960 [1995]; 43 Murante, R.S., et al., "The Calf 5'- to 3'Exonuclease Is Also an Endonuclease with Both Activities Dependent on Primers Annealed Upstream of the Point of Cleavage," J. Biol. Chem. 269:1191-1196 [1994]; 44 Myers et al., "Detection of Single Base Substitutions by Ribonuclease Cleavage at Mismatches in RNA:DNA Duplexes," Science 230:1242-1246 [1985]; 45 Okamoto et al., "Typing hepatitis C virus by polymerase chain reaction with type-specific primers: application to clinical surveys and tracing infectious sources," J. Gen. Virol. 73:673-679 [1992]; 46 Orita et al., "Rapid and Sensitive Detection of Point Mutations and DNA Polymorphisms Using the Polymerase Chain Reaction," Genomics 5:874-879 [1989];		36	Kanai et al., "HCV genotypes in chronic hepatitis C and response to interferon," Lancet 339:1543 [1992];
Liu and Sommer, ""Parameters Affecting the Sensitivities of Dideoxy Fingerprinting and SSCP," PCR Meth. Appli. 4:97-108 [1994]; Marmur and Lane, "Strand Separation and Specific Recombination in Deoxyribonucleic Acids: Biological Studies," Proc. Natl. Acad. Sci. USA 46:453-461 [1960]; Maskos and Southern, "Parallel analysis of oligodeoxyribonucleotide (oligonucleotide) interactions. I. Analysis of factors influencing oligonucleotide duplex formation," Nucl. Acids Res. 20(7):1675-1678 [1992]; Morris et al., "Molecular Mechanisms of Multiple Drug Resistance in Clinical Isolates of Mycobacterium tuberculosis," J. Infect. Dis. 171:954-960 [1995]; Murante, R.S., et al., "The Calf 5'- to 3'Exonuclease Is Also an Endonuclease with Both Activities Dependent on Primers Annealed Upstream of the Point of Cleavage," J. Biol. Chem. 269:1191-1196 [1994]; Myers et al., "Detection of Single Base Substitutions by Ribonuclease Cleavage at Mismatches in RNA:DNA Duplexes," Science 230:1242-1246 [1985]; Okamoto et al., "Typing hepatitis C virus by polymerase chain reaction with type-specific primers: application to clinical surveys and tracing infectious sources," J. Gen. Virol. 73:673-679 [1992]; Orita et al., "Rapid and Sensitive Detection of Point Mutations and DNA Polymorphisms Using the Polymerase Chain Reaction," Genomics 5:874-879 [1989];		37	Lerman and Silverstein, "Computational Simulation of DNA Melting and Its Application to Denaturing Gradient Cal Electrophogogical
Liu and Sommer, ""Parameters Affecting the Sensitivities of Dideoxy Fingerprinting and SSCP," PCR Meth. Appli. 4:97-108 [1994]; Marmur and Lane, "Strand Separation and Specific Recombination in Deoxyribonucleic Acids: Biological Studies," Proc. Natl. Acad. Sci. USA 46:453-461 [1960]; Maskos and Southern, "Parallel analysis of oligodeoxyribonucleotide (oligonucleotide) interactions. I. Analysis of factors influencing oligonucleotide duplex formation," Nucl. Acids Res. 20(7):1675-1678 [1992]; Morris et al., "Molecular Mechanisms of Multiple Drug Resistance in Clinical Isolates of Mycobacterium tuberculosis," J. Infect. Dis. 171:954-960 [1995]; Murante, R.S., et al., "The Calf 5'- to 3'Exonuclease Is Also an Endonuclease with Both Activities Dependent on Primers Annealed Upstream of the Point of Cleavage," J. Biol. Chem. 269:1191-1196 [1994]; Myers et al., "Detection of Single Base Substitutions by Ribonuclease Cleavage at Mismatches in RNA:DNA Duplexes," Science 230:1242-1246 [1985]; Okamoto et al., "Typing hepatitis C virus by polymerase chain reaction with type-specific primers: application to clinical surveys and tracing infectious sources," J. Gen. Virol. 73:673-679 [1992]; Orita et al., "Rapid and Sensitive Detection of Point Mutations and DNA Polymorphisms Using the Polymerase Chain Reaction," Genomics 5:874-879 [1989];		38	Lima et al., "Implication of RNA Structure on Antisense Oligonucleotide Hybridization Kinetics," Biochem. 31:12055-12061 [1992]:
Marmur and Lane, "Strand Separation and Specific Recombination in Deoxyribonucleic Acids: Biological Studies," <i>Proc. Natl. Acad. Sci. USA</i> 46:453-461 [1960]; Maskos and Southern, "Parallel analysis of oligodeoxyribonucleotide (oligonucleotide) interactions. I. Analysis of factors influencing oligonucleotide duplex formation," <i>Nucl. Acids Res.</i> 20(7):1675-1678 [1992]; Morris et al., "Molecular Mechanisms of Multiple Drug Resistance in Clinical Isolates of <i>Mycobacterium tuberculosis</i> ," <i>J. Infect. Dis.</i> 171:954-960 [1995]; Murante, R.S., et al., "The Calf 5'- to 3'Exonuclease Is Also an Endonuclease with Both Activities Dependent on Primers Annealed Upstream of the Point of Cleavage," <i>J. Biol. Chem.</i> 269:1191-1196 [1994]; Myers et al., "Detection of Single Base Substitutions by Ribonuclease Cleavage at Mismatches in RNA:DNA Duplexes," <i>Science</i> 230:1242-1246 [1985]; Okamoto et al., "Typing hepatitis C virus by polymerase chain reaction with type-specific primers: application to clinical surveys and tracing infectious sources," <i>J. Gen. Virol.</i> 73:673-679 [1992]; Orita et al., "Rapid and Sensitive Detection of Point Mutations and DNA Polymorphisms Using the Polymerase Chain Reaction," <i>Genomics</i> 5:874-879 [1989];		39	
Morris et al., "Molecular Mechanisms of Multiple Drug Resistance in Clinical Isolates of Mycobacterium tuberculosis," J. Infect. Dis. Murante, R.S., et al., "The Calf 5'- to 3'Exonuclease Is Also an Endonuclease with Both Activities Dependent on Primers Annealed Upstream of the Point of Cleavage," J. Biol. Chem. 269:1191-1196 [1994]; Myers et al., "Detection of Single Base Substitutions by Ribonuclease Cleavage at Mismatches in RNA:DNA Duplexes," Science 230:1242-1246 [1985]; Okamoto et al., "Typing hepatitis C virus by polymerase chain reaction with type-specific primers: application to clinical surveys and tracing infectious sources," J. Gen. Virol. 73:673-679 [1992]; Orita et al., "Rapid and Sensitive Detection of Point Mutations and DNA Polymorphisms Using the Polymerase Chain Reaction," Genomics 5:874-879 [1989];		40	Marmur and Lane, "Strand Separation and Specific Recombination in Deoxyribonucleic Acids: Biological Studies." Proc. Natl. Acad. Sci.
Murante, R.S., et al., "The Calf 5'- to 3'Exonuclease Is Also an Endonuclease with Both Activities Dependent on Primers Annealed Upstream of the Point of Cleavage," J. Biol. Chem. 269:1191-1196 [1994]; Myers et al., "Detection of Single Base Substitutions by Ribonuclease Cleavage at Mismatches in RNA:DNA Duplexes," Science 230:1242-1246 [1985]; Okamoto et al., "Typing hepatitis C virus by polymerase chain reaction with type-specific primers: application to clinical surveys and tracing infectious sources," J. Gen. Virol. 73:673-679 [1992]; Orita et al., "Rapid and Sensitive Detection of Point Mutations and DNA Polymorphisms Using the Polymerase Chain Reaction," Genomics 5:874-879 [1989];		41	Maskos and Southern, "Parallel analysis of oligodeoxyribonucleotide (oligonucleotide) interactions. I. Analysis of factors influencing oligonucleotide duplex formation," <i>Nucl. Acids Res.</i> 20(7):1675-1678 [1992];
Okamoto et al., "Typing hepatitis C virus by polymerase chain reaction with type-specific primers: application to clinical surveys and tracing infectious sources," J. Gen. Virol. 73:673-679 [1992]; Orita et al., "Rapid and Sensitive Detection of Point Mutations and DNA Polymorphisms Using the Polymerase Chain Reaction," Genomics 5:874-879 [1989];		42	Morris et al., "Molecular Mechanisms of Multiple Drug Resistance in Clinical Isolates of Mycobacterium tuberculosis," J. Infect. Dis. 171:954-960 [1995];
Myers et al., "Detection of Single Base Substitutions by Ribonuclease Cleavage at Mismatches in RNA:DNA Duplexes," Science 230:1242-1246 [1985]; Okamoto et al., "Typing hepatitis C virus by polymerase chain reaction with type-specific primers: application to clinical surveys and tracing infectious sources," J. Gen. Virol. 73:673-679 [1992]; Orita et al., "Rapid and Sensitive Detection of Point Mutations and DNA Polymorphisms Using the Polymerase Chain Reaction," Genomics 5:874-879 [1989];		43	Murante, R.S., et al., "The Calf 5'- to 3'Exonuclease Is Also an Endonuclease with Both Activities Dependent on Primers Annealed Upstream of the Point of Cleavage," J. Biol. Chem. 269:1191-1196 [1994];
Orita et al., "Rapid and Sensitive Detection of Point Mutations and DNA Polymorphisms Using the Polymerase Chain Reaction," Genomics 5:874-879 [1989];		44	Myers et al., "Detection of Single Base Substitutions by Ribonuclease Cleavage at Mismatches in RNA-DNA Dupleyee." Saignes 220,1242
J.0/4-0/9 [1909];		45	Okamoto et al., "Typing hepatitis C virus by polymerase chain reaction with type-specific primers: application to clinical surveys and tracing infectious sources," J. Gen. Virol. 73:673-679 [1992];
Examiner: Date Considered:		46	Orita et al., "Rapid and Sensitive Detection of Point Mutations and DNA Polymorphisms Using the Polymerase Chain Reaction," Genomics 5:874-879 [1989];
	Examiner:		Date Considered:

EXAMINER:

Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

RECEIVED

U.S. Department of

Patent and Trademark Office

Attorney Docket No.: FORS-04766 Serial No.: 09/676,768

Applicant: Fang Dong et al.

(37 CFR § 1.98(b))

INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use Several Sheets If Necessary)

with next communication to applicant.

Filing Date: 10/02/00 Group Art Unit:

xaminer:	"L	Actus Res. 23(3):017-025 [1997]; Date Considered:
	69	Blume et al., "Divalent Transition Metal Cations Counteract Potassium-Induced Quadruplex Assembly of Oligo(dG) Sequences," Nucl. Acids Res. 25(3):617-625 [1997];
	68	Azhayeva et al., "Looped Oligonucleotides Form Stable Hybrid Complexes with a Single-Stranded DNA," Nucl. Acids Res. 23(7):1170-1176 [1995];
	67	Zarrinkar and Williamson, "The kinetic folding pathway of the <i>Tetrahymena</i> ribozyme reveals possible similarities between RNA and protein folding," <i>Nat. Struct. Biol.</i> 3:432-438 [1996];
	66	Zarrinkar and Williamson, "Kinetic Intermediates in RNA Folding," Science 265:918-924 [1994];
	65	Yule, "Amplification-Based Diagnostics Target TB," Bio/Technology 12:1335-1337 [1994];
	64	Yoshioka et al., "Detection of Hepatitis C Virus by Polymerase Chain Reaction and Response to Interferon-α Therapy: Relationship to Genotypes of Hepatitis C Virus," Hepatology 16:293-299 [1992];
	63	Woese, "Bacterial Evolution," Microbiological Reviews 51(2):221-271 [1987];
	62	Winter et al., "A method to detect and characterize point mutations in transcribed genes: Amplification and overexpression of the mutan c-Ki-ras allele in human tumor cells," Proc. Natl. Acad. Sci. USA 82:7575-7579 [1985];
	61	Wartell et al., "Detecting base pair substitutions in DNA fragments by temperature-gradient gel electrophoresis," Nucl. Acids Res. 18:2699-2701 [1990];
	60	Wallace et al., "Hybridization of Synthetic Oligodeoxyribonucleotides to Φχ174 DNA: The Effect of Single Base Pair Mismatch," Nucl. Acids Res. 6:3543-3557 [1979];
	59	Wallace et al., "Application of synthetic oligonucleotides to the diagnosis of human genetic diseases," Biochimie 67:755-762 [1985];
	58	Studencki and Wallace, "Allele-Specific Hybridization Using Oligonucleotide Probes of Very High Specific Activity: Discrimination of the Human β ^A - and β ^S -Globin Genes," <i>DNA</i> 3:1-15 [1984];
	57	Studencki et al., "Discrimination among the Human β^A , β^S , and β^C -Globin Genes Using Allele-Specific Oligonucleotide Hybridization Probes," Human Genetics 37:42-51 [1985];
···	56	Southern et al., "Analyzing and Comparing Nucleic Acid Sequences by Hybridization to Arrays of Oligonucleotides: Evaluation Using Experimental Models," <i>Genomics</i> 13:1008-1017 [1992];
·	55	Smith et al., "Novel Method of Detecting Single Base Substitutions in RNA Molecules by Differential Melting Behavior in Solution," Genomics 3:217-223 [1988];
	54	Shinnick and Jones in Tuberculosis: Pathogenesis, Protection and Control, "Molecular Approaches to the Diagnosis of Tuberculosis," (a Bloom), American Society of Microbiology, Washington, D.C. [1994], pp. 517-530;
	53	Shibata in PCR: The Polymerase Chain Reaction, "Preparation of Nucleic Acids for Archival Material," (eds., Mullis et al.) Boston, pp 47-54 [1994];
	52	Sheffield et al., "Attachment of a 40-base-pair G+C-rich sequence (GC-clamp) to genomic DNA fragments by the polymerase chain reaction results in improved detection of single-base changes," Proc. Natl. Acad. Sci. USA 86:232-236 [1989];
	51	Schwille et al., "Quantitative Hybridization Kinetics of DNA Probes to RNA in Solution Followed by Diffusional Fluorescence Correlation Analysis," Biochem. 35:10182-10193 [1996];
	50	Scholz, et al., "Rapid screening for Tp53 mutations by temperature gradient gel electrophoresis: a comparison with SSCP analysis," Hur Mol. Genet. 2:2155-2158 [1993];
	49	Sambrook et al, Molecular Cloning: A Laboratory Manual, 2nd ed. Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY [1989];
	48	Perlman and Butow, "Mobile Introns and Intron-Encoded Proteins," Science 246:1106-1109 [1989];
	47	Parkhurst and Parkhurst, "Kinetic Studies by Fluorescence Resonance Energy Transfer Employing a Double-Labeled Oligonucleotide: Hybridization to the Oligonucleotide Complement and to Single-Stranded DNA," <i>Biochem.</i> 34:285-292 [1995];

U.S. Department of

Patent and Trademark Office

Attorney Docket No.: FORS-04766

Applicant: Fang Dong et al.

Serial No.: 09/676,768

INFORMATION DISCLOSURE STATEMENT BY APPLICANT
(Use Several Sheets If Necessary)

	(Use Several Sheets If Necessary)		
(37 CFR § 1.98(b))	*	Filing Date: 10/02/00	Group Art Unit:
	OTHER DOCUMENTS (Including Author, Title, D	Pate, Relevant Pages, Place of Publication)	
70	Brossalina and Toulme, "A DNA Hairpin as a Target for Anti	isense Oligonucleotides," J. Am. Chem. Soc. 115	5:796-797 [1993];
71	Butorin et al., "Comparison of the Hydrolysis Patterns of Sev Aminoacylation Reaction," Eur. J. Biochem. 121:587-595 [19	veral tRNAs by Cobra Venom Ribonuclease in D 82];	ifferent Steps of the
72	Cech, "Structure and Mechanism of the Large Catalytic RNAs RNA World, Cold Spring Harbor Laboratory Press, New Yor	s: Group I and Group II Introns and Ribonucleas rk, pp. 239-269 [1993];	e P," Chapter 11 in The
73	Clark, "DNA Synthesis on Discontinuous Templates by DNA	Polymerase I of Escherichia coli," Gene 104:75	-80 [1991];
74	Cload and Schepartz, "Polyether Tethered Oligonucleotide Pro	obes," J. Am. Chem. Soc. 113:6324-6326 [1991]	;
75	Cload et al., "Kinetic and Thermodynamic Analysis of RNA I Conformational Changes," J. Am. Chem. Soc. 115(12):5005-5	Binding by Tethered Oligonucleotide Probes: Alt 5014 [1993];	ernative Structures and
76	Delihas et al., "Natural Antisense RNA/Target RNA Interaction Biotech. 15:751-753 [1997];	ons: Possible Models for Antisense Oligonucleoti	ide Drug Design," Nature
77	DeRisi et al., "Use of a cDNA Microarray to Analyse Gene E	Expression Patterns in Human Cancer," Nature C	Genetics 14:457-460 [1996];
78	Derrick and Horowitz, "Probing Structural Differences Between Evidence For Stable Base Modification-Dependent Conformer	en Native and In Vitro Transcribed Escherichia es," Nucl. Acids Res. 21(21):4948-4953 [1993];	coli Valine Transfer RNA:
79	Francois et al., "Recognition and Cleavage of Hairpin Structu 22(19):3943-3950 [1994];	res in Nucleic Acids by Oligodeoxynucleotides,"	Nucl. Acids Res.
80	Frischer et al., "Differential sensitivity of 16S rRNA targeted of ribosomal higher order structure," Can. J. Microbiol 42:10	oligonucleotide probes used for fluorescence in 61-1071 [1996];	situ hybridization is a result
81	Guo et al., "Asymmetric Structure of a Three-Arm DNA Junc	ction," Biochemistry 29:10927-10934 [1990];	
82	Hoheisel, "Sequence-independent and linear variation of oligo	onucleotide DNA binding stabilities," Nucl. Acids	Res. 24(3):430-432 [1996];
83	Lane et al., "The Thermodynamic Advantage of DNA Oligon Nucl. Acids Res. 25(3):611-616 [1997];	nucleotide 'Stacking Hybridization' Reactions: En	ergetics of a DNA Nick,"
84	Lilley and Kemper, "Cruciform-Resolvase Interactions in Supe	ercoiled DNA," Cell 36:413-422 [1984];	
85	Lima et al., "Combinatorial Screening and Rational Optimizat with Biological Antisense Activity," J. Biol. Chem. 272(1):620	tion for Hybridization to Folded Hepatitis C Viru 6-638 [1997];	s RNA of Oligonucleotides
86	Lu et al., "Effect of Sequence on the Structure of Three-Arm	DNA Junctions," Biochemistry 30(24):5815-582	0 [1991];
87	Ma et al., "Three-Arm Nucleic Acid Junctions are Flexible,"	Nucl. Acid Res. 14:9745-9753 [1986];	
88	Malygin et al., "Hybridization of Two Oligodeoxynucleotides of RNA-DNA Duplex Formation," FEBS Letters 392:114-116 [1	to Both Strands of an RNA Hairpin Structure Inc 996];	reases the Efficiency of
89	Matveeva et al., "A Rapid In Vitro Method for Obtaining RNA Intracellular Pattern and Known RNA Structures," Nucl. Acids	A Accessibility Patterns for Complementary DNAs Res. 25(24):5010-5016 [1991];	A Probes: Correlation with a
90	Milner et al., "Selecting Effective Antisense Reagents On Con	nbinatorial Oligonucleotide Arrays," Nature Biote	ech. 15:537-541 [1997];
91	Milosavljevic et al., "DNA Sequence Recognition by Hybridiz coli Genome," Genomics 37:77-86 [1996];		
92	Mishra et al., "Targeting nucleic acid secondary structures by Acad. Sci. USA 93:10679-10684 [1996];	antisense oligonucleotides designed through in v	itro selection," Proc. Natl.
Examiner:		Date Considered:	
EXAMINER: Ini	tial citation considered. Draw line through citation if not in confit next communication to applicant.	formance and not considered. Include copy of the	nis form

√ED

(37 CFR § 1.98(b))

EXAMINER:

U.S. Department of

Patent and Trademark Office

Attorney Docket No.: FORS-04766

Serial No.: 09/676,768

INFORMATION DISCLO STATEMENT BY APPLICANT

(Use Several Sheets If Necessary)

Applicant: Fang Dong et al.

Filing Date: 10/02/00

Group Art Unit:

					
		OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication)			
	93	Pan et al., "Divalent Metal Ions in RNA Folding and Catalysis," Chapter 12 in The RNA World, Cold Spring Harbor Laboratory Press, New York, pp. 271-302 [1993];			
	94	Parinov et al., "DNA Sequencing by Hybridization to Microchip Octa- and Decanucleotides Extended by Stacked Pentanucleotides," Nucl. Acids Res. 24(15):2998-3004 [1996];			
	95	Parsch et al., "Site-Directed Mutations Reveal Long-Range Compensatory Interactions in the Adh gene of Drosophila melanogaster," Proc. Natl. Acad. Sci. USA 94:928-933 [1997];			
	96	Richardson and Schepartz, "Tethered Oligonucleotide Probes. A Strategy for the Recognition of Structured RNA," J. Am. Chem. Soc. 113:5109-5111 [1991];			
	97	Rosen and Patel, "Structural Features of a Three-Stranded DNA Junction Containing a C-C Junctional Bulge," <i>Biochemistry</i> 32:6576-65 [1993];			
	98	Schuster et al., "RNA Structures and Folding: From Conventional to New Issues in Structure Predictions," Cur. Opin. in Struct. Biol. 7:229-235 [1997];			
	99	Serano and Cohen, "A Small Predicted Stem-Loop Structure Mediates Oocyte Localization of <i>Drosophila K10</i> mRNA," <i>Development</i> 121:3809-3818 [1995];			
	100	Southern, "DNA fingerprinting by hybridization to oligonucleotide arrays," Electrophoresis 16(9):1539-1542 [1995];			
	101	Southern, "DNA chips: analyzing sequence by hybridization to oligonucleotides on a large scale," TIG 12(3):1-6 [1996];			
	Strobel and Doudna, "RNA Seeing Double: Close-Packing of Helices in RNA Tertiary Structure," TIBS Reviews 22:262-266				
	103	Suo and Johnson, "RNA Secondary Structure Switching During DNA Synthesis Catalyzed by HIV-1 Reverse Transcriptase," <i>Biochemistry</i> 36:14778-14785 [1997];			
	104	Walter et al., "Coaxial Stacking of Helixes Enhances Binding of Oligoribonucleotides and Improves Predictions of RNA Folding," Proc. Natl. Acad. Sci USA 91:9218-9222 [1994];			
	105	Weiler et al., "Hybridization Based DNA Screening on Peptide Nucleic Acid (PNA) Oligomer Arrays," Nucl. Acids Res. 25(14):2792-2799 [1997];			
	106	Welch et al., "Structures of Bulged Three-Way DNA Junctions," Nucl. Acids Res. 21(19):4548-4555 [1993];			
	107	Woese and Pace, "Probing RNA Structure, Function, and History by Comparative Analysis," Chapter 4 in The RNA World, Cold Spring Harbor Laboratory Press, New York, pp. 91-117 [1993];			
	108	Wyatt and Tinoco, "RNA Structural Elements and RNA Function," Chapter 18 in The RNA World, Cold Spring Harbor Laboratory Press, New York, pp. 465-496 [1993];			
	109	Yang and Millar, "Conformational Flexibility of Three-Way DNA Junctions Containing Unpaired Nucleotides," Biochemistry 35:7959-7967 [1996];			
	110	Zhong et al., "Effects of Unpaired Bases on the Conformation and Stability of Three-Arm DNA Junctions," Biochemistry 33:3660-3667 [1994];			
	111	Zhong et al., "Effect of T-T Base Mismatches on Three-Arm DNA Junctions," Biochemistry 32:6898-6907 [1993];			
	112	Tylen and Tasabase Bitty II D			
	113	Uhlen, "Magnetic Separation of DNA," Nature 340:733 (1989)			
	114	Southern "Detection of Specific Sequences Among DNA Fragments Separated by Gel Electrophoresis," J. Mol. Biol. 98:503-517 (1975)			
Examiner:					
3		Date Considered:			

Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

RECEIVED